

PROJECT: _____	UNIT TAG: _____	QUANTITY: _____
REPRESENTATIVE: _____	TYPE OF SERVICE: _____	DATE: _____
ENGINEER: _____	SUBMITTED BY: _____	DATE: _____
CONTRACTOR: _____	APPROVED BY: _____	DATE: _____
	ORDER NO.: _____	DATE: _____








ALPHA1 26-99 F

ALPHA1 26-99 is a high-efficiency ECM variable speed circulator designed for various heating and cooling applications. The pump features a 0-10 V analog input for speed control and an alarm output signal.

Note! Product picture may differ from actual product


Conditions of Service		Pump Data		Motor Data	
Liquid:	Water	Maximum operating pressure:	145.04 psi	P1 max:	3 .. 120 W
Temperature:	140 °F	Liquid temperature range:	14 .. 203 °F	Rated voltage:	115 V
Specific Gravity:	0.985	Maximum ambient temperature:	131 °F	Mains frequency:	60 Hz
		Approvals:	UL	Enclosure class:	IP42
		Pipe connection:	1 1/4	Insulation class:	F
		Product number:	99490914	Motor protection:	NONE
				Thermal protection:	ELEC






Materials:
Pump housing: Cast iron
Pump housing: EN 1561 EN-GJL-150
Impeller: Composite

Description	Value
General information:	
Product name:	ALPHA1 26-99 F
Product No:	99490914
EAN number:	5713829959064
Technical:	
Head max:	32.48 ft
TF class:	110
Approvals on nameplate:	UL
Materials:	
Pump housing:	Cast iron
Pump housing:	EN 1561 EN-GJL-150
Impeller:	Composite
Installation:	
Range of ambient temperature:	32 .. 131 °F
Maximum operating pressure:	145.04 psi
Type of connection:	GF
Pipe connection:	1 1/4
Pressure rating:	PN 10
Port-to-port length:	6 1/2 in
Liquid:	
Pumped liquid:	Water
Liquid temperature range:	14 .. 203 °F
Selected liquid temperature:	140 °F
Density:	61.35 lb/ft³
Electrical data:	
Power input - P1:	3 .. 120 W
Mains frequency:	60 Hz
Rated voltage:	1 x 115 V
Maximum current consumption:	0.05 .. 1.7 A
Enclosure class (IEC 34-5):	IP42
Insulation class (IEC 85):	F
Built-in motor protection:	NONE
Thermal protec:	ELEC
Controls:	
Pos term box:	6H
Others:	
Net weight:	8.08 lb
Gross weight:	8.86 lb
Shipping volume:	0.28 ft³
Sales region:	USA





Note! All units are in [in] unless others are stated.